

International 2.4mR Class Association, Technical Committee

$$R = (L + 2d - F + \sqrt{S}) / 2.37 = 2.4$$



2.4mR TC MEETING 20 November 2024 (notes in blue)

Present

Peter Russell (AUS)
Keith Gordon (GBR)
Bruce Millar (CAN)
Rikard Bjurstrom (FIN)
Thomas Jatsch (GER)

Apologies

Stellan Berlin (SWE)

General Business

1. Instructional Video

20.11.2024 Buoyancy Certifier instruction video production ongoing. Bruce Millar to consider video assistance to complete project.

2. Buoyancy Check Additional Weight

20.11.2024 Bruce Millar to conduct buoyancy check with «test weight» and water only and advise difference if any in floatation position. CRC held pending outcome of buoyancy check.

28.11.2024 **BUOYANCY TESTING with and without 35kg**

November 26, 2024, Victoria BC Canada

Today with the help of another approved buoyancy certifier (Bill Marshall) we performed a comparison check as below.

Boat: 2017 Charger 2.4mR (WS #979) (NOD #260)

Race Weight = 254kg

Measurement Locations at Sheerline: (Steel Rulers were taped to the side of the hull with the 0mm mark on sheerline)

All tests were done with boat floating in **Salt Water** according to procedure outlined in Section L of the 2.4mR Class Rules. This was done in local waters next to our dock. Salinity of water was not checked at this time, but tables indicate it should be considered average (1.025 kg/L) I did not have access to a freshwater tank for testing purposes. An average of 4 photos were taken at each section ruler to come to an average freeboard. Even in relatively calm water, wave action around the hull could vary the freeboard measurement number at any given time.

TEST # 1 Boat Filled with SALT WATER, Boat Floating in SALT WATER

WITH 35kg additional Lead

	Forward Section 4	Mid Section 2	Aft Section 0
AVERAGE FREEBOARD=	<u>6.mm</u>	<u>10.mm</u>	<u>26.mm</u>

TEST # 2 Boat Filled with SALT WATER, Boat Floating in SALT WATER

WITHOUT 35kg additional Lead

	Forward Section 4	Mid Section 2	Aft Section 0
AVERAGE FREEBOARD=	<u>16.mm</u> (+10.mm)	<u>26.mm</u> (+16.mm)	<u>52.mm</u> (+26.mm)

Note: In tests 3,4 the 35kg weight was moved 150mm further aft as this boat exhibits a stern high position when filled with water. (extra foam in stern ???)

3. Brian Harding Prototype 2.4 NOD Inspection

20.11.2024 Keith Gordon noted second Super 3 2.4 NOD boat measurement programmed for 5/6 December 2024. Second Super 3 2.4 NOD boat includes CNC cut buoyancy foam, hull width and measurement mark control. Keith Gordon to provide photo record of 2.4 NOD measurement for ICA records – include side elevation, deck profile and interior details.
4. Brian Harding 2.4 NOD Marketing

20.11.2024 Keith Gordon noted 2.4 NOD boat 2 now sold. Bruce Millar discussion with Brian Harding noted Brexit issue, Europe import options under investigation. Thomas Jatsch noted Germany demand for 2.4 NOD boats. Subject to 2.4 NOD boat 2 complying with 2.4mR ICA requirements – marketing including pricing and images required for advertising of 2.4 NOD boats on Super 3 website and ICA media.
5. 2.4 NOD Sail Identification

20.11.2024 2.4 NOD boat national letters and sail number CR CG.3.1 (c) compliance – some national letters and sail numbers noted as exceeding maximum dimensions. 2.4 NOD national letters and sail number maximum dimension deleted from class rule. CRC held pending outcome of buoyancy check.
6. Safety Advice

20.11.2024 safety advice – draft 2.4mR Safety Advice note prepared, Thomas Jatsch to forward training photos and notes to Peter Russell for advice completion.

20.11.2024 Recommended race support boat pump specification confirmed as 12 volt 3700 GPH bilge pump (233litres/minute) with 38mm hose size.
7. Race Management Manual

20.11.2024 2.4mR World and Continental Championship Management Manual v. 10 update with alternative course configuration option approved by TC for website publication.
8. 2.4mR Class Rule Changes

20.11.2024 2.4mR Class Rule Changes submission issued to World Sailing for approval. World Sailing draft CRC approved by TC with new ERSC wording to Amendment 4. **Head point** rule deleted as covered in ERS.

NEW:

The **tack point** of the sail shall not be set below the **lower point**. The **clew point** of the sail, projected at 90° to the boom **spar**, shall not be set aft of the **outer point**.
9. IM Seminar

20.11.2024 Thomas Jatsch to review future World Sailing IM seminar opportunities, funding for travel approved by EC. Keith Gordon IM accreditation renewed to 2028, Matti Muoniovaara IM accreditation to 2026.
10. 2025 2.4mR World Championship

20.11.2024 TC agreed to prepare NOR template based on 2025-28 RRS to assist 2025 Italy World Championship Organising Authority with NOR preparation. Heiko Kroger to advise if WC is approved as Inclusive WC by World Sailing and advise any WS NOR requirements. Peter Russell to prepare draft for TC review.
11. France Measurer Training

20.11.2024 Keith Gordon advised no contact from France regarding measurer training.

TC noted that measurement equipment is the responsibility of NCAs to ensure availability and certification.

TC noted that official measurer accreditation is the responsibility of MNAs. 2.4mR measurement training is supplementary to MNA measurement courses and required for 2.4mR ICA endorsement to MNAs of official measurers.

12. 2.4 NOD Certificate Review

20.11.2024 2.4 NOD Certification Administrator Louise Anstey proposed the following changes to the 2.4 NOD **certificate**. Changes approved by TC and 2.4 NOD certificate v. 5 issued.

- *in Type of Rudder box - change the instruction from 'only for boats built before 2011.03.01' to 'required for boats built before 2011.03.01'*
- *in Hull Number box - change the instruction from 'only for boats built after 2011.03.01' to 'required for boats built after 2011.03.01'*

13. Buoyancy Certifiers

20.11.2024 Bruce Millar endorsed Buoyancy Check competency for Peter Wood (CAN), Brian Bell (USA) and Joe Gerlinsky (CAN). Request for Peter Wood, Brian Bell and Joe Gerlinsky Buoyancy Check Certification approved by TC.

14. Boat Register

20.11.2024 Thomas Jatsch requested consideration of establishing a boat register to assist with records management. Bruce Millar has forwarded existing boat register to Thomas for information. TC noted data protection requirements. Rikard Bjurstrom noted that requirement for sailors to lodge boat certificates as part of registration process for 2023 Finland WC resulted in no boat certificate issues. TC noted that some sailors lack understanding of certificate forms – refer TC certificate advice. Thomas noted that he now has a database of over 300 boats. NCAs to consider database options.

15. 2.4mR ICA AGM

20.11.2024 Peter Russell noted TC AGM submissions due 10 December 2024.

16. General Business

20.11.2024 Bruce Millar noted 2.4mR draft video issued for comment – TC concern that video “doesn’t sell the boat” noted.

20.11.2024 Bruce Millar noted Ontario Yachts (Hamilton Ontario) engaged in preliminary discussions on 2.4 NOD boat building.

20.11.2024 Rikard Bjurstrom noted concern regarding future EC/TC coordination following next AGM. EC to consider liaison options.

20.11.2024 Under new 2.4mR ICA constitution TC is limited to 5 members in line with EC numbers. Keith Gordon not standing for TC, Thomas Jatsch to follow up nomination with Germany NCA.

Next Meeting

Canada	12.00pm Wednesday 15 January 2025
UK	8.00pm Wednesday 15 January 2025
Sweden	9.00pm Wednesday 15 January 2025
Germany	9.00pm Wednesday 15 January 2025
Finland	10.00pm Wednesday 15 January 2025
Australia	7.00am Thursday 16 January 2025

2024 2.4mR TC WORK PROGRAM

2.4mR Technical Committee

Peter Russell (AUS) Chairman

Bruce Millar (CAN) EC Representative

Stellan Berlin (SWE)

Rikard Bjurstrom (FIN)

Keith Gordon (GBR)

Thomas Jatsch (GER)

ICA NOD Certification Administrator

Louise Anstey (CAN) (backup - John Seepe (USA))

ICA IM

Keith Gordon (GBR) IM

Matti Muoniovaara (FIN)

A 2.4mR Class

TC to review class documentation:

- ❖ Updated 2.4mR class rules issued by World Sailing 15 November 2022
- ❖ 2.4mR Measurement Manual 2020 (v. 9)
- ❖ 2.4mR Buoyancy certificate (v. 3)
- ❖ 2.4mR **Certificate** template for NCA Certification Authorities

TC to incorporate World Sailing class rule changes approvals:

- ❖ 2.4mR eMeasurement Form
- ❖ 2.4mR seat/headsail boom weight
- ❖ 2.4mR buoyancy validity

TC to seek World Sailing class rule changes approval:

- ❖ 2.4mR Sail Numbers Proposal – plaque numbers
- ❖ 2.4mR Sail Area Proposal – foot median
- ❖ 2.4mR Headsail Proposal – RRS 50.4
- ❖ 2.4mR Pumps Proposal – electric pumps

TC to review World Sailing RRS and ERS for class rule compliance.

31.01.2024 World Sailing advice that 2.4mR class rules amendment submission on seat/headsail boom weight, buoyancy validity and eMeasurement Form is acceptable – approval from World Sailing expected early February 2024. eMeasurement Form to be available on website / pdfMeasurement Form on World sailing website. World sailing logo instructions received – Peter Russell to forward to Rikard Bjurstrom for 6m class.

31.01.2024 Loss of plaque number on some World Sailing plaques noted. No alteration to World Sailing plaque is permitted so replacement plaques are required. New rating certificates to note original and new R plaque numbers.

28.02.2024 World Sailing approved 2.4mR class rules amendment submission on seat/headsail boom weight, buoyancy validity and eMeasurement Form with effective date 12 February 2024.

03.04.2024 No advice received from Norway to date regarding Blixten sails compliance with foot median class rule changes. Peter Russell to prepare World Sailing submission with effective date after 2024 Kiel 2.4mR World Championship.

- ❖ 2.4mR Headsail Proposal – RRS 50.4
- ❖ 2.4mR Sail Numbers Proposal – plaque numbers
- ❖ 2.4mR Pumps Proposal – electric pumps
- ❖ 2.4mR Sail Area Proposal – foot median

24.04.2024 TC reviewed draft World Sailing Class Rule Changes submission as follows.

- ❖ 2.4mR Headsail Proposal – RRS 50.4

- ❖ 2.4mR Sail Numbers Proposal – plaque numbers
- ❖ 2.4mR Pumps Proposal – electric pumps
- ❖ 2.4mR Sail Area Proposal – foot median
- ❖ 2.4mR Headsail 95% of J – GBR proposal
- ❖ 2.4mR Rudderstock – administrative clarification

Peter Russell to submit to World Sailing for approval after 2024 World Championship.

TC discussed WS approval timing for Class Rule Change «one or more electrical pumps». Event organizing authorities can request 2.4mR Class Rule Change approval under RRS 87 if required. WS Class Rule Changes approval (including electrical pumps) is expected by end August 2024.

20.06.2024 2.4mR Class Rule Changes submission issued to World Sailing for approval. World Sailing have advised approval date is November 2024 due to Olympics commitments.

21.08.2024 2.4mR Class Rule Changes submission issued to World Sailing for approval. World Sailing have advised approval date is November 2024 due to Olympics commitments.

21.08.2024 Bruce Millar questioned status of Scandinavian Sailing Federation plaques on Sodergren boats. TC confirmed no requirement for WS plaques – Scandinavian Sailing Federation plaques permitted under 2.4mR class rule B.5.2.

23.10.2024 2.4mR Class Rule Changes submission issued to World Sailing for approval. World Sailing draft CRC approved by TC subject to Peter Russell comments:

Amendment 3 - The WS proposed wording is acceptable. Delete “The” and add “sail” from - The Personal sail numbers shall not conflict with existing sail numbers of active boats. I think that the national code is adequately covered in the class rules and RRS, it is preferable that this rule remains about sailing numbers only.

*Amendment 4 - The proposed WS wording is acceptable. The new ERS definitions does raise additional questions - should upper limit mark be changed to **upper point** and should outer limit mark be changed to **boom outer point**?*

23.10.2024 TC confirmed modifications or repairs to a boat hull shell and deck triggers boat remeasurement and recertification under class rule C.6 HULL MODIFICATIONS AND MAINTENANCE. Bruce Millar advice to USA sailor is supported by TC.

B 2.4 NOD Class

TC to review class documentation:

- ❖ 2.4 NOD Class Rules 2022
- ❖ 2.4 NOD Construction Manual 2023.1
- ❖ 2.4 NOD Drawings J1 – Measurement Section, J2 – Templates, J3 – Deck layout, J4 - Section
- ❖ 2.4 NOD Measurement Manual 2020 (v. 9)
- ❖ 2.4 NOD Measurement Report New Boats (v.5), Measurement Report – Old Boats (v. 4), Optional Measurement Report Mast & Boom (v. 5)
- ❖ 2.4 NOD **Certificate** template (v. 4)
- ❖ 2.4 NOD Accredited Builder stickers starting at number 1000

TC to incorporate class rule changes:

- ❖ 2.4 NOD Certification Proposal – spar certification
- ❖ 2.4 NOD Sail Numbers Proposal – plaque numbers
- ❖ 2.4 NOD Sail Area Proposal – foot median
- ❖ 2.4 NOD Pumps Proposal – electric pumps
- ❖ 2.4 NOD Lifting Eye Proposal – load capacity

28.02.2024 2.4 NOD class rules 2024 draft including World Council AGM approved rule changes agreed. Peter Russell to issue for website publication.

- ❖ 2.4 NOD Sail Numbers Proposal – plaque numbers
- ❖ 2.4 NOD Pumps Proposal – electric pumps
- ❖ 2.4 NOD Sail Area Proposal – foot median
- ❖ 2.4 NOD Certification Proposal – spar certification
- ❖ 2.4 NOD Lifting Eye Proposal – load capacity

C.5.2 (a) "One or more electric pumps with battery" reviewed – agreed reword as "One or more electric pumps" with battery reference deleted as batteries are intrinsic part of electric pump system and reference not required.

C.5.2 (b) noted total portable equipment weight requirement to be amended to same paragraph as definition to avoid confusion due to page break.

Rudder appendage amendments amended as Rudderstock.

03.04.2024 Updated 2.4 NOD class rules issued for website publication on 29.02.2024 including class rule changes as follows:

- ❖ 2.4 NOD Sail Numbers Proposal – plaque numbers
- ❖ 2.4 NOD Pumps Proposal – electric pumps
- ❖ 2.4 NOD Sail Area Proposal – foot median
- ❖ 2.4 NOD Certification Proposal – spar certification
- ❖ 2.4 NOD Lifting Eye Proposal – load capacity

C Buoyancy Checks

TC to review ICA Buoyancy Certifier assignments:

- ❖ Buoyancy Certifier applications need to demonstrate competency either by current or past measurement qualifications or endorsement by an Official Measurer.
- ❖ ICA Buoyancy Certifier is a Measurer role appointed by the ICA (not MNA) where the person needs to have knowledge of the Class Rules and the ERS, respect competitors and officials and be aware of conflicts of interest.

TC to maintain 2.4mR Buoyancy Certifier database.

TC to prepare ICA Buoyancy Certifier instruction video.

03.04.2024 Thomas Jatsch endorsed Buoyancy Check competency for Lutz Christian Schröder. Request for Lutz Christian Schröder Buoyancy Check Certification approved by TC.

24.04.2024 Thomas Jatsch endorsed Buoyancy Check competency for Kai Schreiber and Alfred Sulek. Request for Kai Schreiber and Alfred Sulek Buoyancy Check Certification approved by TC.

24.04.2024 Buoyancy Certifier instruction video production ongoing – additional video programed for next buoyancy checks.

27.05.2024 Buoyancy Certifier instruction video production ongoing – additional required video taken at buoyancy checks completed May 2024.

27.05.2024 Peter Russell endorsed Buoyancy Check competency for Ian Malley. Request for Ian Malley Buoyancy Check Certification approved by TC.

27.05.2024 Stellan Berlin endorsed Buoyancy Check competency for Matz Brown. Request for Matz Brown Buoyancy Check Certification approved by TC.

27.05.2024 Bruce Millar endorsed Buoyancy Check competency for Bill Marshall. Request for Bill Marshall Buoyancy Check Certification approved by TC.

20.06.2024 Buoyancy Certifier instruction video production text reviewed:

- ❖ Review introduction – "don't want boats to sink"
- ❖ TC to review 2.4mR class rule L.1 CONDITION OF BOAT – consider amendment to buoyancy check weight definition as lead.
- ❖ Add summary of boat weight instead of rule reference:
CONDITION OF BOAT to 2.4mR Class Rule C.5.1
 - Weight of boat to be in accordance with **certificate**. (sails may be substituted by equivalent test weight)
 - Boat to include mandatory equipment including towing fitting, manual bilge pump, J restrictor and towing rope.
 - Boat to include electrical pump (may be substituted by equivalent test weight)

- Removable equipment including seat and headsail boom may be removed in accordance with **certificate**.
- ❖ Amend word "lead" to "test weight"
- ❖ Amend container to hold test weight to allow individual weights to be placed in boat.
- ❖ Amend lead – agreed sails and battery may be compensated by equivalent weight, sails vary from 1.8kg to 2.4kg, batteries vary from 0.6kg to 2.5kg so recommend compensate by equivalent weight – buoyancy checking in fresh water and filling with fresh water discussed, water density difference noted, agreed to not include compensation factor.
- ❖ Amend pump to allow use of buckets or other means of filling and bailing water
- ❖ Review procedure - boat floating with deck about 25mm above water agreed as appropriate target - add note regarding buoyancy check failure, add rigid closed cell foam as retest buoyancy as required.

20.06.2024 Request for Giancarlo Mariani Buoyancy Check Certification approved by TC.

20.06.2024 Thomas Jatsch endorsed Buoyancy Check competency for Michael Jakobs. Request for Michael Jakobs Buoyancy Check Certification approved by TC.

21.08.2024 Buoyancy Certifier instruction video production ongoing.

23.10.2024 Buoyancy Certifier instruction video production ongoing. Bruce Millar to consider video assistance to complete project.

D 2.4 NOD Accredited Builders

TC to review 2.4 NOD Accredited Builder class rule compliance:

- ❖ 2.4 NOD Accredited Builder Application Process (v. 5)
- ❖ 2.4 NOD Accredited Builder Agreement (EC)
- ❖ 2.4 NOD Accredited Builder Boat Inspection Plan (v. 4)
- ❖ 2.4 NOD Accredited Builder Declaration Form (v. 3)
- ❖ 2.4 NOD scan prepared by *VmaxYachting* in high definition for 2.4 NOD Accredited Builders and low definition for general distribution (EC)
- ❖ 2.4 NOD scan data file agreement (EC)

The EC has executed 2.4 NOD Accredited Builder Agreements as follows:

- ❖ *SUPER 3 (United Kingdom) Brian Harding*
- ❖ *AB SKIM KAYAKS FINLAND OY (Finland) Evert Aartsen*

31.01.2024 2.4 NOD laminate compliance advice issued to Brian Harding. Keith Gordon noted no 2.4 NOD prototype measurement to date. Brian Harding has 2.4 NOD templates for compliance checks.

28.02.2024 Prototype 2.4 NOD boat by Super 3 scheduled for measurement 2nd week March 2024. Keith Gordon to refer to updated 2.4 NOD Inspection Checklist and 2.4 NOD Builder Declaration Form. Super 3 to apply for NOD sticker.

31.01.2024 7 2.4 NOD boats under production by Ab Skim Kayaks Finland Oy scheduled for February 2024 completion. Ab Skim Kayaks Finland Oy to ensure all documentation completed and fees paid for boats under production.

28.02.2024 7 2.4 NOD boats under production by Ab Skim Kayaks Finland Oy now scheduled for March 2024 completion. Ab Skim Kayaks Finland Oy to ensure all documentation completed and fees paid for boats under production. Ab Skim Kayaks Finland Oy issued NOD stickers.

03.04.2024 Prototype 2.4 NOD boat by Super 3 scheduled for measurement 5 March 2024. Keith Gordon to refer to updated 2.4 NOD Inspection Checklist and 2.4 NOD Builder Declaration Form. Super 3 to apply for NOD sticker.

03.04.2024 7 2.4 NOD boats by Ab Skim Kayaks Finland Oy completed and ready for measurement and shipping (5 - North America, 2 - Europe). Ab Skim Kayaks Finland Oy to ensure all documentation completed and fees paid for boats. Ab Skim Kayaks Finland Oy issued NOD stickers.

03.04.2024 Prototype 2.4 NOD boat No. 3 by Super 3 compliance with 2.4 NOD Class Rules advised by Keith Gordon. Dimensional compliance with 2.4 NOD jig and templates confirmed – hull and keel stiffness deflection test and chainplate deflection test passes noted - lifting eye load capacity test required. Keith Gordon noted stern profile template requires alteration to permit measurement on

boat centerline. Keith Gordon noted 2.4 NOD boat construction is required to middle of tolerances to ensure template compliance.

Keith Gordon noted ballast is 170kg not 181kg + correctors – liquid foam buoyancy used in lieu of rigid closed cell foam buoyancy which we understand may add up to 12kg to the boat weight? CNC cut rigid closed cell foam to be used for future 2.4 NOD boats.

Keith Gordon noted boat floated bow down with ballast forward – 2.4mR CR C.5.2 (b) requires boat to float in an approximately horizontal position.

Waterline declaration by official measurer to 2.4mR CR D.6.1 (c) is World Sailing requirement.

Rikard Bjurström has issued 5 2.4 NOD stickers to Super 3.

Bruce Millar advised that the 2.4 NOD chainplate deflection test requirement was introduced to address boat flexibility issue (not chainplate screw fixing failure).

- ❖ Keith Gordon to issue 2.4mR Measurement Form, 2.4mR Waterline Declaration Form and 2.4 NOD Measurement Form
- ❖ Super 3 to issue 2.4mR Builder Declaration Form
- ❖ Keith Gordon to provide photo record of 2.4 NOD measurement for ICA records
- ❖ ICA approval of 2.4 NOD laminate on 06.12.2024 noted
- ❖ Keith Gordon to confirm compliance of 2.4 NOD moulds for ICA approval
- ❖ Super 3 to review 2.4 NOD Accredited Builder Declaration Form compliance

24.04.2024 7 2.4 NOD boats by Ab Skim Kayaks Finland Oy completed and ready for measurement and shipping (5 - North America, 2 - Europe). All 2.4 NOD boats to be measured - Rikard Bjurström taking water tank from Tampere to Kokkola for waterline measurement. Rikard Bjurström noted 2.4 NOD boats include 175-179kg ballast not 181kg + correctors. Ab Skim Kayaks Finland Oy to review 2.4 NOD Accredited Builder Declaration Form compliance.

27.05.2024 Keith Gordon noted 2.4mR Measurement Form, 2.4mR Waterline Declaration Form and 2.4 NOD Measurement Form issued for 2.4 NOD prototype boat. Keith Gordon noted Super 3 to issue 2.4mR Builder Declaration Form and 2.4 NOD Accredited Builder Declaration Form (with actual ballast weight noted) for 2.4 NOD prototype boat. Keith Gordon to confirm compliance of 2.4 NOD molds for ICA approval. Keith Gordon to provide photo record of 2.4 NOD measurement for ICA records.

Bruce Millar discussed 2.4 NOD boat construction with Brian Harding to ensure that the 2.4 NOD class rules and construction manual facilitate good quality 2.4 NOD boat builds:

- ❖ Do we need to amend the laminate specification to less than 3.6kg/m²?
- ❖ Keep laminate as specified, consider deck laminate design option, Brian Harding to review with laminate designer.
- ❖ Do we need to increase the tolerances on templates?
- ❖ Templates OK except stern template to be shortened to fit centreline.
- ❖ Will a weight control plan assist with achieving 181kg ballast + correctors?
- ❖ Brian Harding confident next 2.4 NOD boat will be on 181kg ballast. Liquid foam to be replaced with rigid closed cell foam on future 2.4 NOD boats. Wood reinforcement in lieu of aluminium not preferred, Stellan Berlin noted past wood reinforcement rotting problems. Carbon fibre to be considered.

20.06.2024 Keith Gordon noted second Super 3 2.4 NOD boat expected ready for measurement early July 2024. Peter Russell issued ICA 2.4 NOD mold approval to Super 3 dated 2 June 2024. Keith Gordon to provide photo record of 2.4 NOD measurement for ICA records – include side elevation, deck profile and interior details. Builders' plaque discussed, Rikard Bjurström confirmed EU rules do not require plaque for racing equipment, EU rules require model and serial number for recreational equipment only - 2.4 NOD plaque requirement defined in class rule D.2.6 (c) Identification.

20.06.2024 Rikard Bjurström advised Ab Skim Kayaks Finland Oy 2.4 NOD boats including paperwork completed. USA shipment delayed by customs with wood pallets not certified to be resolved.

21.08.2024 Keith Gordon noted second Super 3 2.4 NOD boat measurement delayed with fitout works. Second Super 3 2.4 NOD boat includes CNC cut buoyancy foam, hull width and measurement mark

control. Keith Gordon to provide photo record of 2.4 NOD measurement for ICA records – include side elevation, deck profile and interior details.

21.08.2024 Rikard Bjurström advised Ab Skim Kayaks Finland Oy 2.4 NOD boat shipment completed, USA Customs charges noted.

23.10.2024 Keith Gordon noted second Super 3 2.4 NOD boat measurement delayed with fitout works. Second Super 3 2.4 NOD boat includes CNC cut buoyancy foam, hull width and measurement mark control. Keith Gordon to provide photo record of 2.4 NOD measurement for ICA records – include side elevation, deck profile and interior details.

23.10.2024 Keith Gordon and Bruce Millar to follow-up advertising of 2.4 NOD boats on Super 3 website and ICA media – no purchaser for 2.4 NOD boat 2 to date.

E 2.4 NOD Certification

TC to review 2.4 NOD certification process – TC to prepare 2.4 NOD Certification video.

24.04.2024 Certification instruction video production ongoing.

27.05.2024 Certification instruction video production ongoing.

TC to manage 2.4 NOD sticker issue to 2.4 NOD Accredited Builders.

24.04.2024 TC noted some 2.4mR ISAF stickers are damaged/faded with plaque numbers no longer readable, some 2.4 NOD stickers have been damaged with sticker numbers no longer readable.

TC confirmed agreement of 22.06.2023 that replacement 2.4 NOD stickers (old stickers) be issued at no cost. Rikard Bjurström and Bruce Millar hold stocks of old 2.4 NOD stickers. Thomas Jatsch has 13 boats seeking 2.4 NOD certification. Rikard Bjurström to issue 20 old stickers to Thomas Jatsch for 2.4 NOD boats constructed prior to 2.4 NOD Accredited Builder Agreements. Rikard Bjurström and Bruce Millar administrative costs to be paid by ICA. TC noted that World Sailing replacement plaques are available from WS with new R number.

27.05.2024 Bruce Millar to issue old stickers to Thomas Jatsch for 2.4 NOD boats constructed prior to 2.4 NOD Accredited Builder Agreements. Bruce Millar noted ICA 2.4 NOD Certifier Louise Anstey and Thomas Jatsch completing certification tasks satisfactorily.

21.08.2024 Certification Advice approved by TC and issued for website publication.

21.08.2024 Rikard Bjurström confirmed all ICA 2.4mR templates distributed to Official Measurers – TC to consider requirement for additional measurement templates.

F Official Measurer Training

TC to support 2.4mR Official Measurer training program.

- ❖ NCA obtains expressions of interest in obtaining Official Measurer accreditation from interested persons and advises ICA of persons names and background.
- ❖ Interested persons attend National, Continental or World Championship events as Equipment Inspector for measurement introduction.
- ❖ Interested persons attend ICA 2.4mR measurement training program to enable interested persons to undertake 2.4mR measurement for external examiner review. 2.4mR training could be conducted on a four-year cycle subject to commitment from interested people.
- ❖ Interested persons obtain NCA support and attend MNA Official Measurer program to obtain Official Measurer accreditation.
- ❖ NCAs obtains required measurement equipment, templates etc for Official Measurer use.

TC to maintain 2.4mR Official Measurer database. All NCAs to advise Official Measurer details.

28.02.2024 Keith Gordon noted next IM seminar programmed for Japan – Keith Gordon to liaise with World Sailing and Thomas Jatsch – Peter Russell noted comprehensive knowledge of ERS is required with closed book exam.

03.04.2024 Keith Gordon noted next IM seminar programmed for Japan – Keith Gordon to liaise with World Sailing and Thomas Jatsch – Peter Russell noted comprehensive knowledge of ERS is required with closed book exam. Keith Gordon has contacted EC regarding financial support for Thomas Jatsch travel. Keith Gordon and Matti Muoniovaara IM re-certification required 2024. Bruce Millar contacted David Sprague who advised that an IM seminar is planned in *“Europe by end of September and Hungary (Ballaton?) is the current best forecast”*.

24.04.2024 Keith Gordon noted next IM seminar programmed for Japan (Hungary?). Keith Gordon to liaise with World Sailing and Thomas Jatsch – Peter Russell noted comprehensive knowledge of ERS is required with closed book exam. Keith Gordon has contacted EC regarding financial support for Thomas Jatsch travel. Keith Gordon IM re-certification required 2024. Matti Muoniovaara IM re-certification required 2026.

24.04.2024 Keith Gordon noted possible GBR Official Measurer currently Etchells measurer.

27.05.2024 Thomas Jatsch to liaise with World Sailing regarding future IM Seminars.

20.06.2024 World Sailing IM seminar scheduled for Germany in early 2025. Thomas Jatsch IM accreditation possible by November 2025 – Keith Gordon to renew IM accreditation.

21.08.2024 World Sailing IM seminar scheduled for Hungary 27-29 September 2024. Thomas Jatsch IM accreditation possible by November 2025 – Keith Gordon to renew IM accreditation.

21.08.2024 Keith Gordon noted new GBR 2.4mR Official Measurer to be appointed.

21.08.2024 Peter Russell confirmed 2.4mR Official Measurer Register can be include trainee OM details. TC noted OMs appointed by NCAs and require permission to measure in other countries.

23.10.2024 Thomas Jatsch to review future World Sailing IM seminar opportunities, funding for travel approved by EC. Keith Gordon to renew IM accreditation.

23.10.2024 Keith Gordon to assist France with measurer training request.

G 2.4mR Germany World Championship 2024

TC to review 2.4mR Germany World Championship 2024 race documents for compliance with equipment inspection guidelines.

31.01.2024 Notice of Race reviewed. Bruce Millar and John Seepe comments noted. Number of Equipment Inspection days not adequate for up to 120 boats – allow 2 days for equipment inspection with final morning for compliance wrap-up. Schedule to be amended and race numbers to be corrected for 11 races. Equipment Inspection to be in accordance with 2.4mR World Championship Inspection Plan. Event insurance to be reviewed E2 million is policy limit in many 2.4mR countries. World Sailing is the Organizing Authority for the 2.4mR Para World sailing Championship – delegation to be agreed with World Sailing. Thomas Jatsch noted that Keith Gordon has been appointed as 2024 2.4mR World Championship IM. Peter Russell to forward the 2.4mR World Championship Inspection Plan and associated documents to Thomas Jatsch for a meeting with the Organizing Authority. Peter Russell to prepare TC review for issue to EC meeting 06.02.2024.

28.02.2024 TC comments on NOR forwarded to Organizing Authority by EC. TC can prepare Equipment Inspection NOR clause if required.

03.04.2024 Organizing Authority has received TC comments on NOR – no revised NOR issued to date. Keith Gordon noted WS (Hannah Stodel) has commented on Parasailing World Championship requirements – WS comments to be addressed by EC - TC has not received any advice from WS regarding NOR for review. Keith Gordon noted no IM appointed to date.

24.04.2024 No revised NOR issued to ICA for approval to date. Keith Gordon noted no IM appointed to date. Bruce Millar noted that a NOR is posted on the Kieler yacht Club website.

27.05.2024 No revised NOR issued to ICA for approval to date.

20.06.2024 No revised NOR issued to ICA for approval to date. We understand that the Organizing Authority will issue a NOR Amendment after Kiel Week.

21.08.2024 No revised NOR issued to ICA for approval to date. Draft SIs issued by Heiko Kroger on 1 July 2024 for review. TC response issued to EC on 12 July 2024 noting SIs not complete and inconsistent with draft NOR. Racing in split gold and silver fleets not ICA preferred fleet racing due to shipping lane restrictions. TC noted strong preference for fleet racing, we travel to World Championships to sail together with equal opportunity to race against all competitors. TC also noted significant event logistics requirements for split fleet racing.

TC thanked Thomas Jatsch for helpful event inspection training and work with a smile.

IM to issue Measurement Report to WS in accordance with WS Regulations.

Measurement issues arising from 2024 2.4mR World Championship Germany.

- ❖ Mast upper limit mark CR C.9.2. (a) (2) compliance
- ❖ Boom outer limit mark CR C.9.2. (a) (2) compliance
- ❖ 2.4 NOD boat national letters and sail number CR CG.3.1 (c) compliance
- ❖ Sail number contrast
- ❖ Safety advice

H 2.4mR World and Continental Championship Management

TC to review 2.4mR World and Continental Championship Management documentation.

- ❖ 2.4mR World and Continental Championship Management Manual
- ❖ Event Form
- ❖ Inspection Plan
- ❖ Haul-out Form
- ❖ Substitution Form

24.04.2024 TC noted prior request to delete WC NOR as not consistent with current RRS - TC noted WC Management Manuals not current version – Peter Russell to ask Webmaster to correct documentation.

27.05.2024 2.4mR World and Continental Championship Management documentation reviewed:

- ❖ 2.4mR World and Continental Championship Management Manual
- ❖ Event Form
- ❖ Inspection Plan
- ❖ Haul-out Form
- ❖ Substitution Form


Current 2.4mR World and Continental Championship Management documentation approved. 2.4 NOD 181kg ballast weight checks discussed – no requirement to add to Inspection Plan – check subject to World Sailing requirement. Peter Russell noted concern about the time and effort required to check that the 2.4 NOD ballast weight is 181kg. Removing ballast/weighing ballast/installing ballast takes an average of 25 minutes per boat and requires a minimum of two people. Boats that have not had ballast removed recently may require boats to be inverted to remove lead where lead is stuck, or inserts rusted and requires a separate equipment inspection team. 2.4 NOD owners and their support team may not be able to remove ballast themselves – if ballast removal is required it becomes an Organizing Authority task. The recommendation is to accept a 2.4 NOD certificate and total weight check of 253-254kg as evidence of compliance with the 181kg ballast rule.

23.10.2024 2.4mR World and Continental Championship Management Manual update reviewed by TC. Prescription of reaching finish to facilitate sail number recording supported. Stellan Berlin noted alternative courses to ensure competitive racing should be considered. Peter Russell to amend update to allow for alternative course configurations.

I Rudderstock

31.01.2024 Parts of rudder discussed – rudderstock (one word) agreed as correct term – word rudderstock and materials to be regularized. 2.4mR Class Rule D3.1 permits rudder stock to be “of any materials” E.4.2 prescribes rudderstock of stainless steel or aluminum. 2.4 NOD Class Rules E.2.6 & E2.8 rudder stock.

28.02.2024 Parts of rudder discussed – rudder terms are rudder blade, rudderstock, rudder port tube, rudder armature, rudder steering lines. 2.4 NOD class rules to be amended with “rudderstock” one word and D.7.1(a) (3) “rudder post” deleted as not a fitting. 2.4mR Class Rule D3.1 permits rudder stock to be “of any materials” E.4.2 prescribes rudderstock of stainless steel or aluminum.



J Mainsail Edge Measurement

31.01.2024 Mainsail edge measurement discussed. There is no ERS or 2.4mR Class Rules for straight sail edges from top batten to aft head point. Sails with a local curvature to be measured with batten to ERS ensuring sail extension does not affect head width. North sails noted as straight and Neb sails noted as minor curvature between upper leech point and aft head point.

28.02.2024. Peter Russell advised Doyle sailmaker that local curvature from upper leech point to aft head point is required to comply with ERS H.5.4 Extended as necessary as follows:

H.5.4 Extended as necessary

If there is local curvature and/or irregularity in the **sail edge** leading into a corner point, the extension of the **sail edge** shall be found as follows using a batten as specified in H.5.4(e) :-

- Hold the batten at its very ends with one end approximately where the **corner point** will be and the other end touching the **sail edge** being extended.
- Apply compression only to the batten to produce a uniform curve when required.
- If the batten does not replicate the sail edge shape exactly, move the end of the batten at the **corner** away from **sail** until the longest possible length of the batten touches the **sail edge**.
- Where this technique does not provide a repeatable **corner point**, ERS H.1.2 shall apply.
- Battens shall be of a specification approved by World Sailing unless otherwise specified in class rules.

42

PART 3 RULES GOVERNING EQUIPMENT CONTROL AND INSPECTION

- Class Rules may vary ERS H.5.4

K World Sailing Hannah Stodel Meeting

28.02.2024 Meeting with World Sailing on 12.02.2024 confirmed parasailing “inclusive” strategy. Bruce Millar preparing response on 2.4 NOD class rules. *NOTE The 2.4 NOD Class Rule controls all factors affecting boat speed but allows internal structure and rigging options to ensure that the boat is a truly inclusive class able to be sailed by people of all abilities.*

L 2.4mR Lifting Eye

28.02.2024 Peter Russell advised the EC on 16.02.2024 of a Rondar 2.4mR boat lifting eye failure. The failure occurred over water, and fortunately no-one was injured. The front lifting eye failed first so the rig was OK. Subsequent inspection has found that one other Rondar boat has lifting eye lamination failure. The lifting eye failure is a Rondar 2.4mR boat issue.

Lifting eyes are not required under the 2.4mR class rules. Lifting eye design is the responsibility of the builder. Keith Gordon noted that Weymouth Olympic Centre requires all boats to be lifted with their certified lifting slings. Keith Gordon noted that short lifting strops impose a sheer force on lifting eyes. Requirement for adding a lifting eye requirement to 2.4mR class rules discussed – agreed that the design of the method of lifting 2.4mR boats is the builder’s responsibility and that a class rule change to add lifting eyes is not consistent with the open rule. Requirement for periodic testing of 2.4 NOD lifting eye load capacity discussed – agreed that 5 yearly checks are not required however advise that all 2.4 NOD owners regularly check lifting eyes and lifting strops for potential failure as for all boat rigging. Lifting eye load capacity can be checked over water with boat not rigged to address safety protocols. EC to consider Rondar 2.4mR boat safety warning options.

03.04.2024 Bruce Millar advised that the EC has communicated with Super 3 regarding Rondar 2.4mR boat lifting eye safety advice to owners. Thomas Jatsch advised Rondar 2.4mR boat built 2021 single lifting eye successfully tested to 345kg load – Thomas to photograph next lifting eye test for information.

M 2.4mR Forestay Rigging Point

03.04.2024 Draft forestay rigging point interpretation request agreed by TC - Peter Russell to submit to World Sailing for interpretation.

27.05.2024 2.4mR Rigging Point Interpretation effective 21 May 2024 issued by World Sailing posted on 2.4mR website. Where a saddle changes the way the rigging is attached to a mast the rigging point is determined by the 'IN OTHER WAYS' definition.

N 2.4mR Canada Ballast Motion Canadian 2.4mR AGM - April 11, 2024

24.04.2024 Motion:

I propose that in ALL Norlin Mk3 boats to carry up to a maximum keel ballast (lead) weight of 181kg in ALL regattas sailed in Canada.

Reasoning:

By restricting lead weight boats, it will be limited in their righting ability ("righting moment") therefore equalizing a major component of boat speed especially in heavy air. This in turn makes the sailors skill the primary reason for performance. For the past 15 years or so there has been a One Design component for Norlin Mk3 (NOD)boats in North America. Within the current NOD rules the maximum lead is set at 181kg. All boats received in the past 15years have been produced within this specification. The 2.4mR rule does not set a maximum lead. In theory you can take a boat and strip out the interior to add lead in the keel. There have been only a few examples of this in North America with 98% of the boats 181kg.

A boat with more than 181kg lead in the keel can easily be changed by taking the weight from the keel and attaching it as a corrector weight in the cockpit. This proposal would still allow any other 2.4mR design and any Norlin Mk3 boats that have not been measured to NOD to compete together in all regattas. This proposal has been suggested to the USA class as well for consistency across North America.

Suggested Implementation Date: September 1, 2024

During the Canadian 2.4mR AGM the motion was proposed discussed, and questions answered. A vote was held, and the result was unanimous in favour of the proposal. I am hereby requesting that the TC approve a recommendation of the 2.4mR class rules under section 87 of the RRS to be used in Canadian regatta's after September 1, 2024.

Bruce Millar, On behalf of the Canadian 2.4mR Class Association

TC discussed proposal that for 2.4mR racing in Canada the maximum ballast for 2.4mR Norlin Mk 3 boats is 181kg and commented as follows:

- ❖ The 2.4mR Norlin Mk 3 is a boat design but not a boat class.
- ❖ 2.4mR events preferably are inclusive of all 2.4mR rated boat designs.
- ❖ Certification of 181kg ballast weight questioned – no measurement noted.
- ❖ 2.4mR boat designs are noted as optimised up to approx. 190kg ballast.
- ❖ Re-certification of 2.4mR boats will be required with ballast changes.
- ❖ Competitor agreement to limit ballast to 181kg could be subject to competitor protest.
- ❖ Approved class rules changes are required in event NORs.

O Certification Advice

20.06.2024 Certification Advice draft reviewed. 2.4mR certificate notes to include alternative MNA examples - SWE, GBR and FIN to provide certificate examples for reference. Sailor classification noted as additional organising authority requirement. 2.4 NOD certificate diagram to be amended to delete reference to Henrik.

P 2.4mR World Championships

20.06.2024 Bruce Millar advised 2025 World Championship to be Italy Lake Garda, May or October dates to be confirmed. 2026 World Championship Norway or Netherlands.

21.08.2024 Bruce Millar advised 2025 World Championship to be Italy Lake Garda from 7-12 October 2025. 2026 World Championship Norway or Netherlands.

23.10.2024 Bruce Millar advised 2025 World Championship to be Italy Lake Garda from 7-12 October 2025. TC to assist with race documentation.

Q Mainsail Limit Marks

21.08.2024 Mast upper limit mark CR C.9.2. (a) (2) compliance – check on water with video/photo evidence of non-compliance not practicable. TC to consider compliance options – stopper not possible with halyard lock fittings, halyard lock is equal to stopper installation. Luff tape installation varies - highest point of mainsail may not be at mast track. Consider use of “suitable fitting or system” wording as per CR D.7.1 (a) (1). Refer 470 clarification advice. A competitor may protest another boat for non-compliance with the class rules.

21.08.2024 Boom outer limit mark CR C.9.2. (a) (2) compliance – check on water with video/photo evidence of non-compliance not practicable. TC to consider compliance options - stopper not possible as track optional, consider adding foot dimension max. 1960mm? A competitor may protest another boat for non-compliance with the class rules.

23.10.2024 Mast upper limit mark CR C.9.2. (a) (2) compliance – check on water with video/photo evidence of non-compliance not practicable. Compliance options considered by TC – stopper not possible with halyard lock fittings, halyard lock is equal to stopper installation. Luff tape and bolt rope fixing varies - highest point of mainsail may not be at mast track. TC noted limit mark measurable, no evidence of non-compliance, agreed to retain existing class rule. A competitor may protest another boat for non-compliance with the class rules.

23.10.2024 Boom outer limit mark CR C.9.2. (a) (2) compliance – check on water with video/photo evidence of non-compliance not practicable. Compliance options considered by TC - stopper not possible as track optional. TC noted limit mark measurable, no evidence of non-compliance, addition of 1960mm maximum foot dimension class rule not practicable. A competitor may protest another boat for non-compliance with the class rules.

R 2.4 NOD Sail Identification

21.08.2024 2.4 NOD boat national letters and sail number CR CG.3.1 (c) compliance – some national letters and sail numbers noted as exceeding maximum dimensions. TC agreed to delete maximum dimensions as administrative change so rule equivalent to 2.4mR class rules.

21.08.2024 Sail number contrast – Thomas Jatsch noted white letters on black sails difficult to identify subject to sun orientation. Peter Russell noted that ICA preferred course diagram requires boats to finish astern of the start boat on a reach (not on a run as per 2024 WC SIs) to facilitate boat identification. An upwind finish can also facilitate boat identification.

23.10.2024 2.4 NOD boat national letters and sail number CR CG.3.1 (c) compliance – some national letters and sail numbers noted as exceeding maximum dimensions. 2.4 NOD national letters and sail number maximum dimension deleted from class rule. CRC held pending outcome of buoyancy check.

S Safety Advice

21.08.2024 Safety advice – Thomas Jatsch noted 2024 2.4mR World Championship Germany race support boat crew training in rescuing swamped 2.4mR boat useful. 2.4mR Advice note to be prepared, Thomas Jatsch to forward training photos to Peter Russell for advice preparation.

23.10.2024 safety advice – draft 2.4mR Safety Advice note prepared, Thomas Jatsch to forward training photos and notes to Peter Russell for advice completion. Keith Gordon to confirm recommended pump size. Key issues:

- ❖ Save the person first – safety not competing is the priority.
- ❖ Race support boats to be on water for pre-start, race and post-race to support all competitors.
- ❖ Race support boat pump-out facility for swamped boats enables race support boats to remain on-course, towing to event centre not required.

T 2025-2028 Equipment Rules of Sailing

21.08.2024 TC reviewed new 2025-2028 ERS changes to verify class rule compliance with new ERS. ERS changes do not affect 2.4mR or 2.4 NOD class rules.

- ❖ B.1.1 Mast upper point definition = underside of upper limit mark
- ❖ B1.3 Boom outer point definition = foreside of boom outer limit mark
- ❖ G.5.5 Upper leach point definition = distance from head point (not peak point)
- ❖ H.5.4 Sail Measurement extended as necessary = batten defined as uniform thickness batten

U Buoyancy check additional weight

21.08.2024 Class rule change «lead» to «test weight» agreed as administrative change only. 2.4 NOD Class Rules to be amended, CRC submission for WS approval to be prepared.

23.10.2024 Class rule change «lead» to «test weight» agreed as administrative change only. 2.4 NOD Class Rules amended – issue held pending TC resolution of «test weight». CRC submission for WS approval prepared by Peter Russell. World Sailing advised CRC to be considered as separate application to pending CRC review.

23.10.2024 Definition of «test weight» discussed. 35kg noted as designed to simulate the weight of a submerged person. Density definition required to control test weight – comparative weights in g/cm³, lead = 11.20, steel = 7.85, iron = 7.87, aluminium = 2.70, concrete = 2.4, salt water = 1.025. TC agreed test weight density to be a minimum of 5g/cm³ assuming ferrous metal with plastic or other coating.

23.10.2024 TC discussion continued – do we need the «test weight» - can the buoyancy check be conducted with the boat flooded with water only? Bruce Millar to conduct buoyancy check with «test weight» and water only and advise difference if any in floatation position. CRC held pending outcome of buoyancy check.